MALSIC VENDING

▪ Evolution Through Innovation ▪



PRODUCT CATALOG

www.malsicvending.com




Table of Contents

	COIN CHANGER SERIES	A
	SOAP DISPENSENSER SERIES	B
	MALSICPAY	C
	SPIRAL VENDING	D
	ACCESSORIES	E

MALSIC VENDING



COIN CHANGER SERIES

COIN CHANGER

A) COIN/ TOKEN CHANGER MACHINE STANDARD



Features :

a) Coin Changer Machine

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-CC-A01

Model	ML-UW-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium
Remote Material	Plastic with rubber button

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

COIN CHANGER

B) COIN/ TOKEN CHANGER MACHINE BIG



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-CC-B01

Model	ML-UW-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

MALSIC VENDING



SOAP DISPENSER SERIES

SOAP DISPENSER

A) SOAP DISPENSER - 2 OUTPUT



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-CC-A01

Model	ML-UW-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

SOAP DISPENSER

B) SOAP DISPENSER - 4 OUTPUT



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-CC-B01

Model	ML-UW-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

MALSIC VENDING


MALSICPAY
SERIES

MALSICPAY

A) MALSICPAY KIOSK



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-CC-A01

Model	MV-MP-A01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium
Remote Material	Plastic with rubber button

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

MALSICPAY

B) MALSICPAY KIOSK BASIC



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-MP-B01

Model	MV-MP-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

MFC-V1.0 ©

MALSIC VENDING



SPIRAL VENDING SERIES

SPIRAL VENDING

A) SPIRAL VENDING - BASIC



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-SV-A01

Model	MV-SV-A01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium
Remote Material	Plastic with rubber button

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

SPIRAL VENDING

B) SPIRAL VENDING - BIG



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-SV-B01

Model	MV-SV-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101


MALSIC
VENDING


ACCESSORIES

ACCESSORIES

A) ACCESSORIES



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-AC-A01

Model	MV-AC-A01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium
Remote Material	Plastic with rubber button

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

ACCESSORIES

B) ACCESSORIES



Features :

a) Rainbow touch remote RGB controller.

b) Wireless remote control up to 5m.

c) Built-in program pattern.

d) Adjustable fast/slow speed of ramping up/down for colour changing mode.

d) CE/ROHS certified LED.

Product Code :

MV-AC-B01

Model	MV-AC-B01
Operating Voltage	12Vdc /24Vdc
Output	12Vdc/ 24Vdc, 6A / channel
Channel	3 (R,G,B)
Driver type	Common Anode
Communication	Analog
Size	65(L) x 56(W) x 24(H) mm
Body Material	Aluminium

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

PARKING

A) TIME BASED QR CODE



Features :

a) QrCode based Entry/ Payment.

b) Dynamic Time Based / Hr Based Payment System.

c) Expandable input/output with customize option.

d) Relay output for barrier gate control.

e) Customize size for frame/ application / and body available with exit QRcode scanner.

Product Code :

MV-QR01-TM

Model	MV-QR01-TM
Operating Voltage	220VAC-240VAC, 50 Hz
Mode	QRCODE, Time Based Thermal Printer.
Input	Note(RM1,RM5, RM10, RM20, RM50, RM100) , QRCode, Button.
Output	Note Dispenser (1 denominal), Coin Dispenser (2 denominals) , 58mm Receipt Printer, 2x16 LCD Display.
Communication	Serial Rs232, Menu Button.
Reporting	Thermal Based Receipt Printer, LCD Display.

MALSIC TECHNOLOGY SDN. BHD.
Web: www.malsic.com E-mail: product@malsic.com Tel : +6 010 605 0101

MFC-V1.0 ©



MALSIC VENDING

Email : product@malsic.com
Tel : +6 010 605 0101

www.malsicvending.com